

Curriculum Vitae

Nobuko Mataga, Ph. D.

Unit Leader
Support Unit for Bio-Material Analysis
Research Resources Division (RRD)
RIKEN Center for Brain Science (CBS)
2-1 Hirosawa, Wako-shi, Saitama, 351-0198, Japan
Phone: +81-48-467-9680
e-mail: mataga@riken.jp



Education:

- 1987-1990 Research Student, Bioanalytical Chemistry
 School of Pharmaceutical Sciences, Showa University, Tokyo
- 1974-1978 B. S., Chemistry
 Department of Chemistry, Toho University, Chiba, Japan

Degree:

- 1989 Ph. D., Pharmacology
 Showa University, Tokyo

Working Experience:

- 2018-present Unit Leader, Support Unit for Bio-Material Analysis,
 Research Resources Division, RIKEN Center for Brain Science
 (Former: Research Resources Center, RIKEN BSI)
- 2009-2017 Unit Leader, Support Unit for Bio-Material Analysis,
 Research Resources Center, RIKEN BSI
- 1999-2009 Research Specialist, Lab. For Neuronal Circuit Development, RIKEN BSI
- 1997-1999 Staff Scientist, Lab. For Neuronal Circuit Development, RIKEN BSI
- 1992-1997 Assistant Professor, Medical Research Institute,
 Tokyo Medical and Dental University Chiyoda-ku, Tokyo
- 1988-1992 Research Associate, Osaka Bioscience Institute, Suita-shi, Osaka
- 1985-1988 Research Associate, National Institute of Neuroscience,
 National Center of Neurology and Psychiatry, Kodaira-shi, Tokyo
- 1978-1985 Research Assistant, National Institute of Neuroscience,
 National Center of Neurology and Psychiatry, Kodaira-shi, Tokyo

Membership of Academic Societies:

Japan Neuroscience Society,
Society for Neuroscience,
International Brain Research Organization

Publications in English:

1. Shimohata, A., Ishihara, K., Hattori, S., Miyamoto, H., Morishita, H., Omthanalai G., Raveau, M., Ebrahim, A. S., Amano, K., Yamada, K., Sago, H., Akiba, S., Mataga, N., Murphy, N.P., Miyakawa, T., Yamakawa, K.
Ts 1 Cje Down syndrome model mice exhibit environmental stimuli-triggered locomotor hyperactivity and sociability concurrent with increased flux through central dopamine and serotonin metabolism.
Experimental Neurobiol., 293, 1-12, 2017.
2. Kageyama, Y., Kasahara, T., Morishita, H., Mataga, N., Eguchi, Y., Tani, M., Kuroda, K., Hattori, K., Yoshida, S., Inoue, K., and Kato, T.
Search for plasma biomarkers in drug-free patients with bipolar disorder and schizophrenia using metabolome analysis.
Psychiatry Clin. Neurosci., 71, 115-123, 2017.
3. Hisatsune, C., Ebisui, E., Usui, M., Ogawa, N., Suzuki, A., Mataga, N., Takahashi-Iwanaga, H., and Mikoshiba, K.
ERp44 exerts redox-dependent control of blood pressure at the ER.
Mol. Cell, 58, 1015-1027, 2015.
4. Imamura, K., Morii, K., Nakadate, K., Yamada, T., Mataga, N., Watanabe, Y., and Mori, N.,
Brain-derived neurotrophic factor enhances expression of superior cervical ganglia clone 10 in lateral geniculate nucleus and visual cortex of developing kittens,
Eur. J. Neurosci., 23, 637-648, 2006.
5. Mataga, N., and Hensch, T.K.,
Serine proteases and neuronal plasticity in vivo,
"Proteases in the Brain" (Proteases in Biology and Disease, volume 3), pp271-301,
U. Lendeckel and N. Hooper, eds. (New York: Springer), 2005.
6. Mataga, N., Mizuguchi, Y., and Hensch, T.K.,
Experience-dependent pruning of dendritic spines in visual cortex by tissue plasminogen activator,
Neuron, 44, 1031-1041, 2004.
7. Mataga, N., Nagai, N., and Hensch, T.K.,

Permissive proteolytic activity for visual cortical plasticity,
Proceedings of the National Academy of Sciences, U.S.A., 99, 7717-7721, 2002.

8. Mataga, N., Fujishima, S., Condie, B.G., and Hensch, T.K.,
Experience-dependent plasticity of mouse visual cortex in the absence of the neuronal activity-dependent marker *egr1/zif268*,
J Neurosci., 21, 9724-9732, 2001.
9. Takazawa, Y., Nifuji, A., Mataga, N., Yamaguchi, Y., Kurosawa, H., and Noda, M.,
Articular cartilage cells immortalized by a temperature sensitive mutant of SV40 large T antigen serve and form cartilage tissue in articular cartilage environment,
J Cellular Biochemistry, 75, 338-345, 1999.
10. Hada, Y., Yamada, Y., Imamura, K., Mataga, N., Watanabe, Y., and Yamamoto, M.,
Effect of monocular enucleation on parvalbumin in rat visual system during postnatal development,
Investigative Ophthalmology & Visual Science, 40, 2535-2545, 1999.
11. Yamada, Y., Hada, Y., Imamura, K., Mataga, N., Watanabe, Y., and Yamamoto, M.,
Differential expression of immediate-early genes, *c-fos* and *zif 268* in the visual cortex of young rats: effects of a noradrenergic neurotoxin on their expression,
Neuroscience, 92, 473-484, 1999.
12. Hensch, T.K., Fagiolini, M., Mataga, N., Stryker, M.P., Baekkeskov, S., and Kash, S.F.,
Local GABA circuit control of experience-dependent plasticity in developing visual cortex,
Science, 282, 1504-1508, 1998.
13. Kawauchi, T., Nifuji, A., Mataga, N., Olson, E.N., Bonaventure, J., Shinomiya, K. Liu, Y., and Noda, M.,
Fibroblast growth factor down-regulates expression of a basic helix-loop-helix-type transcription factor, *scleraxis*, in a chondrocyte-like cell line, TC6,
J. Cell Biochem., 70, 468-477, 1998.
14. Kasamatsu, T., Imamura, K., Mataga, N., Hartveit, E., Heggelund, U., and Heggelund, P.,
Roles of N-methyl-D-aspartate receptors in ocular dominance plasticity in developing visual cortex: re-evaluation,
Neuroscience, 82(3) 687-700, 1998.
15. Fukumauchi, F., Wang, Y-J., Mataga, N., and Kusakabe, M.,
Paradoxical behavioral response to apomorphine in tenascin-gene knockout mouse,
Eur. J. Pharmacol., 338, p7-10, 1997.

16. Fukamauchi, F., Wang, Y-J., Mataga, N., and Kusakabe, M.,
Effects of cholecystokinin-B receptor antagonist on dopamine system in tenascin mutant mice,
NeuroReport, 8, 3919-1922, 1997.
17. Fukamauchi, F., Mataga, N., Wang, Y-J., Sato, S., Yoshiki, A., and Kusakabe, M.,
Tyrosine hydroxylase activity and its mRNA level in dopaminergic neurons of tenascin gene knockout mouse,
BBRC, 231, 356-359, 1997.
18. Mataga, N., Imamura, K., Shiomitsu, T., Yoshimura, Y., Fukamauchi, F., and Watanabe, Y.,
Enhancement of mRNA expression of tissue-type plasminogen activator by L-threo-3,4-dihydroxyphenylserine in association with ocular dominance plasticity,
Neurosci. Lett., 218, 149-152, 1996.
19. Semba, J., Sakai, M., Miyoshi, R., Mataga, N., Fukamauchi, F., and Kito, S.,
Differential expression of c-fos mRNA in rat prefrontal cortex, striatum, N. accumbens and lateral septum after typical and atypical antipsychotics: An in situ hybridization study,
Neurochem. Int., 29(4) 435-442, 1996.
20. Mataga, N., Tamura, M., Yanai, N., Shinomura, T., Kimata, K., Obinata, M., and Noda, M.,
Establishment of a novel chondrocyte like cell line derived from transgenic mice harboring temperature sensitive simian virus 40 Large T antigen gene,
J. Bone Mineral Res., 11(11), 1646-1654, 1996.
21. Fukamauchi, F., Mataga, N., Wang, Y-J., and Chuang D-M.,
Differential effects of butyrate and dibutyl cAMP on mRNA levels of muscarinic acetylcholine receptor subtypes expressed in neurohybrid cell lines,
Neurosci. Lett., 212, 49-52, 1996.
22. Fukamauchi, F., Mataga, N., Wang, Y-J., Sato, S., Yoshiki, A., and Kusakabe, M.,
Abnormal behaviors and neurotransmissions of tenascin gene knockout mice,
BBRC, 221, 151-156, 1996.
23. Onoe, H., Inoue, O., Suzuki, K., Tsukada, H., Itoh, T., Mataga, N., and Watanabe, Y.,
Ketamine increases the striatal N-[¹¹C] methylspiperone binding in vivo: Positron emission tomography study using conscious rhesus monkey,
Brain Res., 663, 191-198, 1994.

24. Osborne, P.G., Mataga, N., Onoe, H., and Watanabe, Y.,
Behavioral activation by stimulation of a GABAergic mechanism in the preoptic area of rat,
Neurosci. Lett., 158,201-204, 1993.
25. Imamura, K., Mataga, N., and Watanabe, Y.,
Gliotoxin-induced suppression of ocular dominance plasticity in kitten visual cortex,
Neurosci. Res., 16, 117-124, 1993.
26. Mataga, N., Imamura, K., and Watanabe, Y.,
L-threo-Dihydroxyphenylserine enhanced ocular dominance plasticity in adult cats,
Neurosci. Lett., 142,115-118, 1992.
27. Imamura, K., Mataga, N., and Mori, K.,
Coding of odor molecules by mitral/tufted cells in rabbit olfactory bulb. I. Aliphatic
compounds,
J. Neurophysiol., 68(6), 1986-2002, 1992.
28. Motohashi, N., Takashima, M., Mataga, N., Nishikawa, T., Ogawa, A., Watanabe, S., and
Toru, M.,
Effects of sulpiride and oxyperline on the dopaminergic system in the rat striatum,
Pharmacopsychiatry, 25, 29-33, 1992.
29. Mori, K., Mataga, N., and Imamura, K.,
Differential specificities of single mitral cells in rabbit olfactory bulb for a homologous
series of fatty acid odor molecules,
J. Neurophysiol., 67(3), 786-789, 1992.
30. Mataga, N., Imamura, K., and Watanabe, Y.,
6R-tetrahydrobiopterin perfusion enhances dopamine, serotonin, and glutamate outputs in
dialysate from rat striatum and frontal cortex,
Brain Res., 551(1/2), 64-71, 1991.
31. Mataga, N., Hayashi, T., Naruse, H., and Iida, Y.,
Sensitive determination of kynurenine in human plasma by gas chromatography-negative
ion chemical ionization mass spectrometry,
Mass spectroscopy, 36(3), 99-105, 1988.
32. Mitsushio, H., Takashima, M., Mataga, N., and Toru, M.,
Effects of chronic with trihexyphenidyl and carbamazepine alone or in combination with
haloperidol on substance P in affective disorders,
J. Pharmacol. Exp. Ther., 245(3), 982-989, 1988.

33. Toru, M., Watanabe, S., Shibuya, H., Nishikawa, T., Noda, K., Mitsushio, H., Ichikawa, H., Kurumazi, A., Takashima, M., Mataga, N., and Ogawa, A.,
Neurotransmitters, receptors, and neuropeptides in post-mortem brains of chronic schizophrenic patients,
Acta Psychiatr. Scand., 78, 121-137, 1988.
34. Shono, S., Mataga, N., and Toda, K.,
The two dimensional peptide mappings of the nail low sulfur S-carboxy-methyl keratin,
J. Dermatology, 14(5), 419-426, 1987.
35. Semba, J., Toru, M., and Mataga, N.,
Twenty-four-hour rhythms of norepinephrine and serotonin in N.
supra-chiasmaticus, raphe nuclei and locus coeruleus in the rat,
Sleep, 7(3), 211-218, 1984.
36. Toru, M., Mitsushio, H., Mataga, N., Takashima, M., and Arito, H.,
Increased brain serotonin metabolism during rebound sleep in sleep-derived rats,
Pharmacol. Biochem. Behav., 20, 757-761, 1984.
37. Nishikawa, T., Mataga, N., Takashima, M., and Toru, M.,
Behavioral sensitization and relative hyperresponsiveness of striatal and limbic
dopaminergic neuron after repeated methamphetamine treatment,
Eur. J. Pharmacol., 88, 195-203, 1983.
38. Toru, M., Nishikawa, T., Mataga, N., and Takashima, M.,
Dopamine metabolism increase in post-mortem schizophrenic basal ganglia,
J. Neural Transmission, 54, 181-191, 1982.
39. Toru, M., Mataga, N., Takashima, M., and Nishikawa, T.,
Enhancement of haloperidol-induced increase in rat striatum or mesolimbic
3,4-dihydroxy-phenylacetic acid and homovanillic acid by pretreatment with chronic
methamphetamine,
Psychopharmacol., 74, 316-320, 1981.